WHAT IS CLAIMED IS:

- 1. An isolated or purified nucleic acid molecule comprising a nucleotide sequence which codes for a pyruvate carboxylase enzyme of SEQ ID NO:19, wherein said pyruvate carboxylase enzyme contains at least one mutation which desensitizes said pyruvate carboxylase enzyme to feedback inhibition by aspartic acid selected from the group consisting of:
 - a) methionine at position 1 is replaced with a valine,
- b) glutamic acid at position 153 is replaced with an aspartic acid,
 - c) alanine at position 182 is replaced with a serine,
 - d) alanine at position 206 is replaced with a serine,
 - e) histidine at position 227 is replaced with an arginine,
 - f) alanine at position 452 is replaced with a glycine, and
- g) aspartic acid at position 1120 is replaced with a glutamic acid.
- 2. An isolated or purified nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of:
- a) the nucleotide sequence encoding amino acids 1 to 1157 of SEQ ID NO:2; -NRL B-1/474
- b) the nucleotide sequence encoding amino acids 1 to 1140 of SEQ ID NO:4;
- c) a nucleotide sequence encoding the amino acid sequence encoded by the DNA contained in Deposit Number NRRL B-30293; and
- d) a nucleotide sequence complementary to any of the nucleotide sequences in (a), (b) or (c).

- 3. The nucleic acid molecule of claim 2, comprising the nucleotide sequence of SEQID NO:1.
- 4. The nucleic acid molecule of claim 2, comprising the nucleotide sequence of SEQ ID NO:3.
 - 5. A vector comprising:
 - a) the nucleic acid molecule of claim(1 or 2; and
 - b) at least one marker gene.
- 6. The vector of claim 5, further comprising a functional Corynebacterium replication origin.
- 7. A method for producing a host cell comprising introducing the vector of claim 5 into a host cell.
 - 8. A host cell comprising the vector of claim 5.
 - 9. A method of producing an amino acid, comprising:
 - a) culturing the host cell of claim 8, in a suitable media; and
 - b) separating said amino acid from said medium.
- 10. The method of claim 9, wherein said amino acid is selected from the group consisting of: L-lysine, L-threonine, L-methionine, L-isoleucine, L-glutamic acid, L-arginine and L-proline.
 - 11. The method of claim 10, wherein said amin acid is L-lysine.

- 12. A method for replacement of a wild-type pyruvate carboxylase gene, with a feedback resistant pyruvate carboxylase gene, in a *Corynebacterium glutamicum* host cell comprising the steps of:
- a) replacing a genomic copy of said wild-type pyruvate carboxylase gene with a selectable marker gene through homologous recombination to form a first recombinant strain; and
- b) replacing said selectable marker gene of step (a) in said first recombinant strain, with said feedback resistant pyruvate carboxylase gene through homologous recombination to form a second recombinant strain;

wherein said homologous recombination in steps (a) and (b) occurs between said host cell and the vector of claim 5.

- 13. A host cell produced by the method of claim 12.
- 14. A method of producing an amino acid, comprising:
- a) culturing the host cell of claim 13 in a suitable medium; and
 - b) separating said amino acid from said medium.
- 15. The method of claim 14, wherein said amino acid is selected from the group consisting of: L-lysine, L-threonine, L-methionine, L-isoleucine, L-glutamic acid, L-arginine and L-proline.
 - 16. The method of claim 15, wherein said amino acid is L-lysine.
- 17. An isolated or purified polypeptide comprising the amino acid sequence of the polypeptide encoded by the DNA plasmid encoding pyruvate carboxylase contained in Deposit Number NRRL B-11474, the amino acid sequence of SEQ ID NO:2 or the amino acid sequence of SEQ ID NO:4.

- 18. An isolated or purified polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16 and SEQ ID NO:18.
- 19. An isolated or purified nucleic acid molecule comprising a nucleotide sequence encoding the polypeptide of claim 18.
- 20. The nucleic acid molecule of claim 19, wherein said nucleic acid molecule comprises a nucleotide sequence selected from the group consisting of: SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15 and SEQ ID NO:17.

Subjet 1